

公共用水域水質測定値(夏季分)

小林地区

年度	1.岩瀬橋(岩瀬川 南堤区)					2.茶摩川橋(谷の木川 東方2区)					3.橘八重橋(岩瀬川 東方2区)					4.瀬ノ口橋(岩瀬川 東方1区)					5.水の手橋(石氷川 真方1区)				
	PH	BOD	DO	SS	大腸菌	PH	BOD	DO	SS	大腸菌	PH	BOD	DO	SS	大腸菌	PH	BOD	DO	SS	大腸菌	PH	BOD	DO	SS	大腸菌
10	7.1	0.7	8.5	3	49,000	6.9	0.9	8.8	<1	35,000	6.8	0.9	8.3	<1	54,000	7.2	0.6	8.9	<1	11,000	7.0	0.8	8.5	2	22,000
11	7.3	<0.5	8.8	3	13,000	7.0	<0.5	8.4	<1	79,000	7.0	<0.5	8.5	<1	23,000	7.1	<0.5	8.9	<1	13,000	7.4	<0.5	8.6	2	33,000
12	7.4	<0.5	8.8	1	7,800	7.2	<0.5	8.8	<1	13,000	7.2	0.7	8.6	1	13,000	7.4	<0.5	9.0	1	2,300	7.4	<0.5	8.6	1	46,000
13	7.2	1	8.5	1	3,500	7.1	<0.5	8.3	<1	33,000	7.1	<0.5	8.5	1	4,500	7.4	0.5	9.1	<1	13,000	7.2	<0.5	8.5	2	2,300
14	7.5	<0.5	8.6	2	17,000	7.1	<0.5	8.1	<1	17,000	7.2	0.7	8.5	1	24,000	8.0	<0.5	9.6	<1	2,600	7.4	1.2	8.6	<1	35,000
15	7.4	<0.5	8.6	4	23,000	6.9	<0.5	8.6	2	13,000	7.1	<0.5	8.7	3	7,800	7.1	<0.5	8.9	2	4,900	7.4	<0.5	8.5	4	22,000
16	7.6	0.5	8.7	2	24,000	7.2	0.5	8.7	2	24,000	7.3	0.6	8.8	<1	7,900	7.7	<0.5	8.5	<1	4,900	7.4	0.6	8.7	<1	54,000
17	7.5	0.5	8.7	2	17,000	7.2	<0.5	8.4	<1	7,900	7.3	<0.5	8.4	1	7,900	7.6	0.5	8.9	1	4,900	7.2	<0.5	8.7	<1	7,900
18	7.3	<0.5	8.8	1	3,500	7.2	<0.5	9.2	1	2,800	7.4	<0.5	8.8	3	4,900	7.5	<0.5	9.1	4	1,100	7.6	<0.5	9.3	<1	5,400
19	7.6	<0.5	8.6	1	24,000	7.2	<0.5	8	1	35,000	7.3	<0.5	8.6	1	24,000	7.9	<0.5	8.8	<1	3,300	7.6	0.7	8.3	1	11,000
20	7.5	1.3	14.9	3.4	920	7.2	1.1	8.5	<1	3,300	7.2	1.4	8.3	<1	3,100	7.7	1.3	8.9	<1	2,600	7.3	1.2	8.4	<1	1,600
21	7.4	0.7	9.1	1.2	360	7.3	<0.5	8.7	<1	340	7.3	0.7	9.0	1.6	340	7.5	<0.5	9.7	<1	340	7.4	0.6	8.9	1.4	1,400
22	7.6	<0.5	9.1	3.0	7,900	7.2	<0.5	8.8	1.8	4,300	7.4	<0.5	8.9	<1	2,400	7.6	<0.5	8.9	<1	930	7.6	<0.5	8.9	2.0	14,000
23	7.6	<0.5	8.5	3	22,000	7.2	<0.5	8.5	2	49,000	7.4	<0.5	8.6	5	9,200	7.5	<0.5	8.7	4	3,500	7.5	<0.5	8.5	2	22,000
24	7.4	0.8	9.8	3	43,000	7.2	0.9	8.9	1	9,500	7.3	<0.5	7.9	1	24,000	7.6	1	8.5	1	43,000	7.5	<0.5	9.5	4	43,000
25	8.0	<0.5	10	2	24,000	7.7	<0.5	8.0	1	9,200	7.7	<0.5	8.4	1	5,400	7.8	<0.5	8.7	1	5,400	7.8	<0.5	8.4	4	24,000
26	7.6	<0.5	8.5	4	22,000	7.3	1	8.3	2	35,000	7.4	<0.5	8.4	3	4,900	7.5	0.6	8.5	3	3,300	7.7	<0.5	8.6	2	24,000
27	7.4	<0.5	8.5	5	7,900	7.5	<0.5	9.0	2	5,400	7.5	<0.5	9.1	5	11,000	7.6	<0.5	9.1	7	1,700	7.3	<0.5	8.8	3	24,000
28	7.8	<0.5	8.9	3	35,000	7.6	<0.5	8.2	1	11,000	7.5	<0.5	8.0	4	7,000	7.6	<0.5	8.5	6	17,000	7.9	<0.5	9.1	1	35,000
29	7.7	1.0	8.6	6	22,000	7.5	<0.5	8.5	1	7,900	7.5	0.9	8.4	1	22,000	7.6	0.6	8.9	1	3,300	7.8	<0.5	9.0	2	35,000
30	7.8	0.5	8.9	2	22,000	7.3	<0.5	9.1	<1	7,900	7.4	0.8	9.0	1	17,000	7.7	0.7	9.1	2	7,900	7.6	<0.5	9.4	1	92,000
元	7.6	0.7	8.8	2	4,900	7.3	<0.5	8.9	<1	540	7.4	1.2	7.9	1	13,000	7.7	1.0	8.9	1	1,300	7.7	0.7	8.8	1	17,000
2	7.8	1.1	9.4	4	54,000	7.4	0.8	9.1	7	22,000	7.4	1.0	8.8	7	14,000	7.8	0.8	9.0	9	2,200	7.7	0.9	8.8	6	13,000
3	7.6	1.0	9.2	4	2,300	7.3	0.9	8.9	2	2,300	7.4	1.3	9.3	<1	2,300	8.2	1.3	9.9	<1	790	7.7	1.3	9.4	6	13,000
4	7.6	0.7	9.3	2	98	7.4	<0.5	9.3	2	100	7.4	0.7	9.0	2	59	7.4	0.6	9.6	2	40	7.4	0.5	9.1	2	150

# 公共用水域水質測定値(夏季分)

小林地区

年度	6.宮古橋(種子田川 種子田区)					7.石氷橋(石氷川 西町3区)					8.辻の堂橋(熊迫川 後川内区)					9.永田橋(辻の堂川 永田町区)					10.永田橋水路橋(辻の堂川 永田町区)				
	PH	BOD	DO	SS	大腸菌	PH	BOD	DO	SS	大腸菌	PH	BOD	DO	SS	大腸菌	PH	BOD	DO	SS	大腸菌	PH	BOD	DO	SS	大腸菌
10	6.9	0.7	8.7	<1	14,000	7.4	0.8	8.6	2	54,000	7.1	1.0	8.4	1	79,000	6.8	1.2	8.0	2	70,000	6.8	1.7	8.0	3	79,000
11	7.2	1.0	8.0	3	79,000	7.6	0.8	8.7	1	17,000	7.5	0.9	8.3	3	130,000	7.2	0.6	8.3	2	79,000	7.2	1.1	8.4	2	33,000
12	7.4	<0.5	8.3	1	17,000	7.8	<0.5	8.3	1	14,000	7.6	0.8	8.4	3	33,000	7.1	1.0	8.2	2	49,000	7.2	1.1	8.1	2	130,000
13	7.3	0.5	8.4	1	4,500	7.6	0.9	8.4	1	79,000	7.2	0.7	8.3	1	33,000	7.0	0.6	8.1	1	49,000	7.1	0.6	8.5	1	92,000
14	7.3	1.3	8.3	2	54,000	7.8	<0.5	8.7	<1	46,000	7.2	<0.5	8.1	1	23,000	7.1	0.6	8.2	<1	49,000	7.1	1.0	8.3	2	49,000
15	7.3	1.6	7.9	3	70,000	7.6	<0.5	8.6	4	17,000	7.4	<0.5	8.4	4	22,000	7.2	0.9	8.2	5	39,000	7.3	0.9	8.1	4	33,000
16	7.7	0.7	10.3	1	79,000	7.8	1.2	8.6	2	49,000	7.3	0.6	8.6	<1	130,000	7.2	0.9	8.8	1	24,000	7.2	1.1	8.5	<1	35,000
17	7.5	<0.5	8.4	<1	35,000	7.7	<0.5	8.0	<1	54,000	7.2	<0.5	8.2	<1	24,000	7.1	<0.5	8.0	<1	28,000	7.1	0.7	8.0	<1	54,000
18	7.5	<0.5	8.5	1	9,200	7.8	<0.5	8.7	<1	3,500	7.6	<0.5	8.8	2	3,300	7.4	<0.5	8.5	2	35,000	7.3	0.5	8.7	1	9,200
19	7.3	<0.5	7.8	1	92,000	7.9	<0.5	8.4	3	54,000	7.3	0.6	8.1	2	54,000	7.2	0.5	8	1	35,000	7.2	<0.5	8.0	1	160,000
20	7.4	1.4	8.5	<1	4,900	7.9	1.7	8.9	<1	35,000	7.4	1.9	8.4	<1	7,900	7.2	1.7	8.4	<1	17,000	7.2	1.5	8.4	<1	1,600
21	7.4	<0.5	9.0	2.2	1,400	7.6	0.7	9.3	1.6	4,300	7.5	1.2	8.2	<1	340	7.4	0.8	8.5	2.4	1,400	7.3	0.9	9.1	1.8	2,800
22	7.5	<0.5	8.4	2.4	9,500	7.9	<0.5	8.9	3.2	4,300	7.7	0.9	8.4	3.0	7,900	7.3	<0.5	8.4	2.8	7,900	7.4	<0.5	10.7	2.0	4,300
23	7.6	<0.5	8.0	3	49,000	7.9	<0.5	8.3	6	33,000	7.6	<0.5	8.3	7	49,000	7.3	<0.5	8.2	15	49,000	7.3	0.6	7.9	15	24,000
24	7.3	<0.5	8.7	2	9,500	7.7	<0.5	9.1	6	9,500	7.6	<0.5	8.4	5	9,500	7.3	0.7	8.4	2	43,000	7.2	0.9	7.4	2	43,000
25	7.8	0.5	9.2	2	54,000	8.1	0.6	8.5	3	49,000	7.8	1.1	7.9	2	79,000	7.7	0.7	8.5	2	79,000	7.5	0.6	8.4	1	54,000
26	7.5	<0.5	8.3	2	49,000	7.8	<0.5	8.8	3	33,000	7.8	<0.5	8.4	3	33,000	7.4	1.1	8.2	3	110,000	7.5	1.0	7.6	3	33,000
27	7.6	<0.5	8.8	3	17,000	7.9	<0.5	8.8	4	35,000	7.8	<0.5	8.8	3	7,900	7.6	<0.5	8.6	3	22,000	7.3	<0.5	8.3	2	33,000
28	7.7	<0.5	8.1	2	17,000	8.0	<0.5	8.5	3	17,000	7.7	<0.5	7.9	9	11,000	7.7	0.5	8.1	10	23,000	7.8	0.9	8.2	3	3,300
29	7.7	<0.5	8.5	2	79,000	8.0	<0.5	8.7	3	22,000	7.9	<0.5	8.7	3	33,000	7.6	<0.5	9.1	1	33,000	7.5	0.5	9.3	2	17,000
30	7.6	<0.5	8.9	2	13,000	7.8	<0.5	8.8	1	17,000	7.4	<0.5	8.6	1	7,900	7.3	0.6	8.8	<1	28,000	7.4	0.5	8.9	<1	35,000
元	7.6	0.6	8.3	<1	35,000	7.9	0.8	7.7	2	4,300	7.7	1.1	9.1	1	17,000	7.4	1.6	7.8	1	22,000	7.4	1.5	8.2	2	13,000
2	7.7	0.8	8.3	2	7,900	7.9	0.7	9.0	7	13,000	7.6	1.0	9.2	12	11,000	7.4	1.1	8.7	16	54,000	7.3	1.1	9.0	15	54,000
3	7.6	1.7	8.7	4	4,900	7.9	1.3	8.9	4	13,000	7.6	1.2	9.2	3	7,900	7.4	1.6	8.8	3	13,000	7.4	1.6	8.8	4	13,000
4	7.5	0.6	8.9	3	94	8.0	0.6	8.2	2	91	7.9	2.2	8.9	2	49	7.6	0.9	8.7	1	260	7.5	1.0	9.0	2	110